Amendment Dated: August 7, 2006 Reply to Office Action of: May 5, 2006

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1-77. (Cancelled)

78. (Withdrawn) A laser device comprising:

at least one laser light source including a semiconductor laser;

a first optical system for irradiating a spatial modulation element with laser light emitted from the laser light source; and

a second optical system for irradiating a screen with the light from the spatial modulation element,

wherein the laser light source further includes:

an optical wavelength conversion element for generating a harmonic wave; and

a single mode fiber for conveying laser light from the semiconductor laser to the optical wavelength conversion element.

79. (Withdrawn) A laser device, comprising:

at least one laser light source including a semiconductor laser;

a first optical system for irradiating a spatial modulation element with laser light emitted from the laser light source; and

Application No.: 10/712,126

Amendment Dated: August 7, 2006 Reply to Office Action of: May 5, 2006

a second optical system for irradiating a screen with the light from the spatial modulation element,

wherein the laser light source further includes:

a fiber for conveying laser light from the semiconductor laser;

a solid state laser crystal for receiving laser light emitted from the fiber so as to generate a fundamental wave; and

an optical wavelength conversion element for generating a harmonic wave from the fundamental wave.

80. (Withdrawn) A laser device, comprising:

at least one laser light source including a semiconductor laser;

a first optical system for irradiating a spatial modulation element with laser light emitted from the laser light source; and

a second optical system for irradiating a screen with the light emitted from the spatial modulation element,

wherein the semiconductor laser is a distributed feedback type semiconductor laser, and

the laser light source further includes a semiconductor laser amplifier for amplifying laser light from the distributed feedback type semiconductor laser.

81. (Currently Amended) A laser device, comprising:

at least one laser light source including a semiconductor laser;

Application No.: 10/712,126

Amendment Dated: August 7, 2006 Reply to Office Action of: May 5, 2006

a first optical system for irradiating a spatial modulation element with laser light emitted from the laser light source; and

a second optical system for irradiating a screen with the light emitted from the spatial modulation element,

wherein the laser light source further includes an optical wavelength conversion element in which periodic domain inverted structures are formed, and

wherein the semiconductor laser is wavelength-locked.

- 82. (Withdrawn) A laser device according to claim 78, wherein the spatial modulation element is a liquid crystal cell.
- 83. (Withdrawn) A laser device according to claim 79, wherein the spatial modulation element is a liquid crystal cell.
- 84. (Withdrawn) A laser device according to claim 80, wherein the spatial modulation element is a liquid crystal cell.
- 85. (Previously Presented) A laser device according to claim 81, wherein the spatial modulation element is a liquid crystal cell.
- 86. (Previously Presented) A laser device according to claim 81, wherein the laser light source further includes an optical waveguide for guiding the laser light from the semiconductor laser.
- 87. (Withdrawn) A laser device according to claim 78, wherein the semiconductor laser is wavelength-locked.
- 88. (Withdrawn) A laser device according to claim 79, wherein the semiconductor laser is wavelength-locked.

Application No.: 10/712,126

Amendment Dated: August 7, 2006 Reply to Office Action of: May 5, 2006

89. (Withdrawn) A laser device according to claim 80, wherein the semiconductor laser is wavelength-locked.

90. (Currently Amended) A laser device according to claim 81, wherein the semiconductor laser is wavelength-locked wavelength-locking is performed using a grating or a filter.